

Revision: 25.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2022

Version number 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
 - Trade name: Technovit powder 6091
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Resin for the treatment of claws and extracutaneous splinting
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS09

- · Signal word Void
- · Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Contains dibenzoyl peroxide, n-butyl acrylate. May produce an allergic reaction.

- · 2.3 Other hazards
 - · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:		
CAS: 94-36-0	dibenzoyl peroxide	≥0.25-<1%
EINECS: 202-327-6	Self-react. B, H241; Org. Perox. B, H241	
Reg.nr.: 01-2119511472-50-xxxx	Self-react. B, H241; Org. Perox. B, H241 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,	
	H410 (M=10)	
	Eye Irrit. 2, H319; Skin Sens. 1, H317	

(Contd. on page 2)



Printing date 25.05.2022

Version number 5 (replaces version 4)

Revision: 25.05.2022

Trade name: Technovit powder 6091

(Contd. of page 1) CAS: 141-32-2 n-butyl acrylate ≥0.1-<1%

EINECS: 205-480-7

EINECS: 205-480-7 Flam. Liq. 3, H226 Reg.nr.: 01-2119453155-43-xxxx Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,

H319; Skin Sens. 1, H317; STOT SE 3, H335

Aquatic Chronic 3, H412

ATE: LC50/4 h inhalative: 10.3 mg/l

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - General information No special measures required.
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing

Rinse out mouth and then drink plenty of water.

- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Combustible solids. Fine dust clouds can form explosive mixtures with air.

Carbon dioxide (CO2)

Carbon monoxide (CO)

- 5.3 Advice for firefighters
 - **Protective equipment:**

Wear self-contained breathing apparatus.

(EN 133)

Àdditional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Wear protective clothing.

Avoid causing dust.

Keep away from ignition sources

Avoid contact with eyes and skin.

(Contd. on page 3)



Printing date 25.05.2022

Version number 5 (replaces version 4)

Revision: 25.05.2022

Trade name: Technovit powder 6091

(Contd. of page 2)

· 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Damp down dust with water spray jet.

Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Collect mechanically.

Send for recovery or disposal in suitable containers.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 7 for information on safe handling

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be removed regularly.

Provide suction extractors if dust is formed.

Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

Use explosion-proof apparatus / fittings and spark-proof tools.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Handling

do not mix with

reducing agent

Strong bases

Strong oxidizers

Strong acids

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Store in cool, dry place in tightly closed containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store cool (not above 25 °C).
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

	o. i Control parameters			
	Components with cri	· Components with critical values that require monitoring at the workplace:		
94-36-0 dibenzoyl peroxide		ide		
	WEL (Great Britain)	Long-term value: 5 mg/m³		
141-32-2 n-butyl acrylate		e		
	WEL (Great Britain)	Short-term value: 26 mg/m³, 5 ppm Long-term value: 5 mg/m³, 1 ppm		
	IOELV (European Union)	Short-term value: 53 mg/m³, 10 ppm Long-term value: 11 mg/m³, 2 ppm		

(Contd. on page 4)



Printing date 25.05.2022

Version number 5 (replaces version 4)

Revision: 25.05.2022

Trade name: Technovit powder 6091

				(Contd. of page 3)
· DNE	ELs			
94-36-0 di	benzoyl peroxide			
Oral	general population, long	term, systemic	2 mg/Kg (not defined)	
Dermal	worker industrial, long tel	rm, systemic	13.3 mg/Kg/d (not defined)	
Inhalative	worker industrial, long tel	rm, systemic	39 mg/m3 (not defined)	
141-32-2 r	n-butyl acrylate			
Inhalative	worker industrial, long ter	rm, local	11 mg/m3 (not defined)	
· PNE	Cs			
94-36-0 di	benzoyl peroxide			
freshwater	•	0.00002 mg/l ((not defined)	
marine wa	ter	0.000002 mg/l	(not defined)	
sewage tre	eatment plant	0.35 mg/l (not	defined)	
sediment,	dry weight, freshwater	0.013 mg/Kg (not defined)	
sediment,	dry weight, marine water	0.001 mg/Kg (not defined)	
soil, dry we	eight	0.003 mg/Kg (not defined)	
141-32-2 r	n-butyl acrylate			
freshwater		0.003 mg/l (no	t defined)	
marine water		0 mg/l (not defined)		
sewage treatment plant		3.5 mg/l (not defined)		
sediment,	dry weight, freshwater	0.034 mg/Kg (not defined)	
	dry weight, marine water	0.003 mg/Kg (not defined)	
soil, dry we	eight	1 mg/Kg (not d	defined)	

[·] Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Do not inhale dust / smoke / mist.

Do not eat or drink while working.

The usual precautionary measures should be adhered to in handling the chemicals.

Avoid contact with the eyes and skin.

Wash hands during breaks and at the end of the work.

· Breathing equipment:

Filter P3.

Use a mask with particle filter in case of dust generation.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

chemical protection gloves are suitable, which are tested according to EN 374

Check protective gloves prior to each use for their proper condition.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Printing date 25.05.2022 Version number 5 (replaces version 4) Revision: 25.05.2022

Trade name: Technovit powder 6091

(Contd. of page 4)

NBR: acrylonitrile-butadiene rubber (0,11 mm)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· Eye/face protection eye protection (EN 166)

· Body protection: Light weight protective clothing

Environmental exposure controls

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state

· Colour: According to product specification

· Smell: Odourless

Odour threshold: Not determined. *Melting point/freezing point:* Not determined

· Boiling point or initial boiling point and

boiling range 147 °C (141-32-2 n-butyl acrylate)

· Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined. Upper: Not determined. · Flash point: Not applicable Decomposition temperature: Not determined.

SADT · pH Not applicable.

· Viscosity:

Not applicable. Kinematic viscosity dynamic: Not applicable.

Solubility

· Water: Insoluble

Partition coefficient n-octanol/water (log

value) Not determined. · Steam pressure: Not applicable.

Density and/or relative density

Density Not determined Relative density Not determined. · Vapour density Not applicable.

9.2 Other information No further relevant information available.

Appearance:

Form: Powder

· Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of

explosive powder/air mixtures is possible.

Change in condition Evaporation rate Not applicable.

(Contd. on page 6)



Printing date 25.05.2022

Version number 5 (replaces version 4)

Revision: 25.05.2022

Trade name: Technovit powder 6091

(Contd. of page 5)

· Information with regard to physical hazard classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions

Risk of dust explosion if enriched with fine dust in presence of air

- · 10.4 Conditions to avoid Heat, flames and sparks.
- · 10.5 Incompatible materials:

Strong oxidizers

reducing agent Strong bases

Strong acids

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

	· LD/LC50 values that are relevant for classification:		
94-36-0 dibenzoyl peroxide			peroxide
Oral LD0 >2,000 mg/kg (mouse) (OECD 401)		>2,000 mg/kg (mouse) (OECD 401)	
Inhalative LC0/4h 24.3 ppm (rat) (OECD 403)			24.3 ppm (rat) (OECD 403)
	141-32-2 n-butyl acrylate		
Oral LD50 3,150 mg/kg (rat) (OECD 401) Inhalative LC50/4 h 10.3 mg/l (ATE)		3,150 mg/kg (rat) (OECD 401)	
		LC50/4 h	10.3 mg/l (ATE)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met. (Contd. on page 7)



Revision: 25.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2022

Version number 5 (replaces version 4)

Trade name: Technovit powder 6091

(Contd. of page 6)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

. Л	~;;	atic	to	via	i4./·
• •		aın.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	XIL.	11 V -

94-36-0 dibenzoyl peroxide

EC50/72h	0.042 mg/l (algae) (OECD 201)
EC50/48h	0.11 mg/l (daphnia) (OECD 202)
LC50/96h	0.06 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.071 mg/l (algae) (OECD 201)
NOEC / 72h	0.02 mg/l (algae) (OECD 201)
NOEC / 96h	0.032 mg/l (fish) (OECD 203)
NOEC / 48h	0.076 mg/l (daphnia) (OECD 202)
FrC10	0.001 mg/L /21d (daphnia) (OFCD 211)

141-32-2 n-butyl acrylate

EC50/72h	2.65 mg/l (algae) (OECD 201)
	8.2 mg/l (daphnia) (OECD 202)
LC50/96h	5.2 mg/l (fish) (OECD 203)
NOEC / 21d	0.136 mg/l (daphnia) (OECD 211)
NOEC / 96h	3.8 mg/l (fish) (EPA OTS 797.1400)

· 12.2 Persistence and degradability

94-36-0 dibenzoyl peroxide

Biodegradation 71 % /28d (not defined) (OECD 301D)

141-32-2 n-butyl acrylate

Biodegradation 80-90 % /28d (not defined) (OECD 310)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
 - · Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Do not allow product to reach ground water, water bodies or sewage system.

(Contd. on page 8)



Printing date 25.05.2022

Version number 5 (replaces version 4)

Revision: 25.05.2022

Trade name: Technovit powder 6091

Danger to drinking water if even small quantities leak into soil.

(Contd. of page 7)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage.

- · Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name · ADR	3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (Ethylen dibenzoate, dibenzoyl peroxide)
· IMDG	ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (Ethylen dibenzoate, dibenzoyl peroxide), MARINI POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ethylen dibenzoate, dibenzoyl peroxide)
· 14.3 Transport hazard class(es)	
· ADR	
1 1 1 1 1 1 1 1 1 1	
· Class	9 (M7) Miscellaneous dangerous substance
· I ahel	and articles.
· Label · IMDG. IATA	
· Label · IMDG, IATA	and articles.
	and articles. 9 9 Miscellaneous dangerous substances an
· IMDG, IATA	and articles. 9



Printing date 25.05.2022

Version number 5 (replaces version 4)

Revision: 25.05.2022

Trade name: Technovit powder 6091

	(Contd. of page
14.5 Environmental hazards: • Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances ar articles.
· Kemler Number: · EMS Number: · Stowage Category · Stowage Code	90 F-A,S-F A SW23 When transported in BK3 but container, see 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk according IMO instruments	y to Not applicable.
· Transport/Additional information:	-
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packagin 30 g Maximum net quantity per outer packagin 1000 g
· Transport category · Tunnel restriction code	3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packagin 30 g Maximum net quantity per outer packagin 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOL SUBSTANCE, SOLID, N.O.S. (ETHYLEN DIBENZOATE, DIBENZOYL PEROXIDE), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.

 - Seveso category E2 Hazardous to the Aquatic Environment
 Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
 Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
 - · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning women of child-bearing age must be observed.

(Contd. on page 10)



Revision: 25.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2022

Version number 5 (replaces version 4)

Trade name: Technovit powder 6091

(Contd. of page 9)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H241 Heating may cause a fire or explosion.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

Abbreviations and actionymis.

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Self-react. B: Self-reactive substances and mixtures - Type B

Org. Perox. B: Organic peroxides – Type B Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures

(EC) 1907/2006: UK REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

* Data compared to the previous version altered.



Revision: 20.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - Trade name: Technovit 6091 Liquid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - Application of the substance / the mixture
 - Resin for the treatment of claws and extracutaneous splinting
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate

2-hydroxyethyl methacrylate

2,2'-[(4-methylphenyl)imino]bisethanol

methacrylamide

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
(Contd. on page 2)

GB GB



Printing date 20.05.2022 Version number 4 (replaces version 3) Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER/doctor.

P308+P311

· 2.3 Other hazards -

Results of PBT and vPvB assessment

· PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: -

· Dangerous components:		
EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-xxxx	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	50-75%
	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%
EINECS: 201-202-3 Reg.nr.: 01-2119381761-35- 0000	methacrylamide STOT SE 2, H371; STOT RE 2, H373 Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335 ATE: LD50 oral: 1,815 mg/kg	0-5%
EINECS: 221-359-1 Reg.nr.: 01-2120791684-40-xxxx	2,2'-[(4-methylphenyl)imino]bisethanol Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1, H317 Aquatic Chronic 3, H412 ATE: LD50 oral: 959 mg/kg	<i>≥</i> 1-<2.5%
EINECS: 205-769-8 Reg.nr.: 01-2119541813-40-xxxx	mequinol Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412 ATE: LD50 oral: 1,630 mg/kg	≥0.1-<1%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information

Take affected persons into the open air.

Instantly remove any clothing soiled by the product.

Personal protection for the First Aider.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 20.05.2022

Version number 4 (replaces version 3)

Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

(Contd. of page 2)

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing

Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions Breathing difficulty Coughing

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents Water.
- · 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Can be released in case of fire

Carbon monoxide (CO)

Carbon dioxide (CO2)

Nitrogen oxides (NOx)

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - Protective equipment:

Wear self-contained breathing apparatus.

(EN 133)

· Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Do not breathe vapor / mist / gas.

Ensure adequate ventilation

Keep away from ignition sources

· 6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

Damp down gases/fumes/haze with water spray jet.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Send for recovery or disposal in suitable containers.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

0.0



Printing date 20.05.2022

Version number 4 (replaces version 3)

Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

Do not breathe vapor / mist / gas.

Keep away from heat and direct sunlight.

Prevent formation of aerosols.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Fumes can combine with air to form an explosive mixture.

Use explosion-proof apparatus / fittings and spark-proof tools.

Do not spray on flames or red-hot objects.

Protect against electrostatic charges.

· Handling

do not mix with organic peroxides Radical initiator reducing agent Strong bases Strong oxidizers Strong acids amine

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

metals

- Requirements to be met by storerooms and containers:
 - Store in cool, dry place in tightly closed containers.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from humidity and keep away from water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

80-62-6 methyl methacrylate

WEL (Great Britain) Short-term value: 416 mg/m³, 100 ppm

Long-term value: 208 mg/m³, 50 ppm

IOELV (European Union) Short-term value: 100 ppm

Long-term value: 50 ppm

· DNELs

80-62-6 methyl methacrylate

Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m3 (not defined)

(Contd. on page 5)



Printing date 20.05.2022 Version nun

Version number 4 (replaces version 3) Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

			240 4	(Contd. of pa
	worker industrial, long te	-	348.4 mg/m3 (not defined)	
	worker industrial, long te		208 mg/m3 (not defined)	
	general population, acute		208 mg/m3 (not defined)	
	general population, long		74.3 mg/m3 (not defined)	
	2-hydroxyethyl methacr			
Oral		-	0.83 mg/Kg (not defined)	
Dermal	worker industrial, long te		1.3 mg/Kg/d (not defined)	
	general population, long	-	0.83 mg/Kg/d (not defined)	
Inhalative	worker industrial, long term, systemic		4.9 mg/m3 (not defined)	
	general population, long	term, systemic	2.9 mg/m3 (not defined)	
	ethacrylamide			
Oral	worker industrial, long te	•	0.73 mg/Kg (not defined)	
	general population, long	-	,	
Dermal	worker professional, acu		1 mg/Kg/d (not defined)	
	worker industrial, long te	-	1 mg/Kg/d (not defined)	
Inhalative	· · · · · ·	•	7.89 mg/m3 (not defined)	
	worker industrial, acute,		2.54 mg/m3 (not defined)	
	worker industrial, long te	-	7.89 mg/m3 (not defined)	
	worker industrial, long te	rm, local	2.54 mg/m3 (not defined)	
	2,2'-[(4-methylphenyl)ir	mino]bisethan		
Oral	general population, long	-	,	
Dermal	worker industrial, long te	rm, systemic	0.47 mg/Kg/d (not defined)	
	general population, long term, systemic		0.17 mg/Kg/d (not defined)	
Inhalative	worker industrial, long te	rm, systemic	3.29 mg/m3 (not defined)	
	general population, long	term, systemic	0.58 mg/m3 (not defined)	
150-76-5 ı				
Inhalative	worker industrial, long te	rm, systemic	3 mg/m3 (not defined)	
· PNI	ECs			
80-62-6 m	ethyl methacrylate			
freshwate	r	0.94 mg/l (not	defined)	
marine wa	nter	0.094 mg/l (no	t defined)	
sewage tre	eatment plant	10 mg/l (not de	efined)	
sediment,	dry weight, freshwater	10.2 mg/Kg (n	ot defined)	
sediment,	dry weight, marine water	0.102 mg/Kg (not defined)	
soil, dry weight		1.48 mg/Kg (n	ot defined)	
868-77-9	2-hydroxyethyl methacr	ylate		
freshwate	r	0.482 mg/l (no	t defined)	
marine water		0.482 mg/l (no	,	
		10 mg/l (not de		
sediment, dry weight, freshwater 3.7		3.79 mg/Kg (n	ot defined)	
sediment, dry weight, marine water		3.79 mg/Kg (n	ot defined)	
		0.476 mg/Kg (not defined)	
79-39-0 m	ethacrylamide			
freshwater	r	2 mg/l (not det	fined)	



Printing date 20.05.2022 Version number 4 (replaces version 3) Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

	(Contd. of page 5)
marine water	0.2 mg/l (not defined)
sewage treatment plant	713 mg/l (not defined)
sediment, dry weight, freshwater	8.95 mg/Kg (not defined)
sediment, dry weight, marine water	0.895 mg/Kg (not defined)
soil, dry weight	0.617 mg/Kg (not defined)
3077-12-1 2,2'-[(4-methylphenyl)ii	mino]bisethanol
freshwater	0.026 mg/l (not defined)
marine water	0.003 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	0.121 mg/Kg (not defined)
sediment, dry weight, marine water	0.012 mg/Kg (not defined)
soil, dry weight	0.009 mg/Kg (not defined)
150-76-5 mequinol	
freshwater	0.014 mg/l (not defined)
marine water	0.001 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	0.125 mg/Kg (not defined)
sediment, dry weight, marine water	0.013 mg/Kg (not defined)
soil, dry weight	0.017 mg/Kg (not defined)

[·] Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

The usual precautionary measures should be adhered to in handling the chemicals.

Do not inhale gases / fumes / aerosols.

· Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Filter A/P2.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

chemical protection gloves are suitable, which are tested according to EN 374

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

(Contd. on page 7)



Printing date 20.05.2022 Version number 4 (replaces version 3) Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

(Contd. of page 6)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· Eye/face protection eye protection (EN 166)

Body protection: Light weight protective clothing

Environmental exposure controls

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Smell:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless
Characteristic
Not determined

Not determined
Not determined

Boiling point or initial boiling point and

boiling range 100.3 °C (80-62-6 methyl methacrylate)
Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined.
· Upper: Not determined.

Flash point: 10 °C (80-62-6 methyl methacrylate)
Ignition temperature: 435 °C (80-62-6 methyl methacrylate)

Decomposition temperature: Not determined.

SADT

· **pH** Not determined.

· Viscosity:

* Kinematic viscosity Not determined.
* dynamic: Not determined.

Solubility

• Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log

value) Not determined.

Steam pressure at 20 °C: 37 hPa (80-62-6 methyl methacrylate)

· Density and/or relative density

Density at 20 °C
Relative density
Vapour density

0.98809 g/cm³
Not determined.
Not determined.

• 9.2 Other information No further relevant information available.

· Appearance:

Fluid

Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures is possible.

Change in condition
Evaporation rate
Not determined.

(Contd. on page 8)



Printing date 20.05.2022

Version number 4 (replaces version 3)

Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

(Contd. of page 7)

	(
· Information with regard to physical hazard classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	
Highly flammable liquid and vapour.	
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions Exothermic polymerisation
- · 10.4 Conditions to avoid

moisture exposure

Heat, flame's and sparks.

10.5 Incompatible materials:

organic peroxides

Radical initiator

reducing agent

Strong bases

Strong oxidizers

Strong acids

amine

metals

- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:			
80-62-6 n	80-62-6 methyl methacrylate		
Oral	LD50	~7,900 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)	

(Contd. on page 9)



Printing date 20.05.2022

Version number 4 (replaces version 3)

Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

		(Contd. of page 8)	
		h 29.8 mg/l (rat)	
868-77-9 2	868-77-9 2-hydroxyethyl methacrylate		
Oral	LD50	5,564 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
79-39-0 m	ethacryla	mide	
Oral	LD50	1,815 mg/kg (ATE)	
		1,815 mg/kg (rat) (OECD 401)	
3077-12-1	2,2'-[(4-m	ethylphenyl)imino]bisethanol	
Oral	LD50	959 mg/kg (ATE)	
		959 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)	
150-76-5 r	nequinol		
Oral	LD50	1,630 mg/kg (ATE)	
		1,630 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	

- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
 Respiratory or skin sensitisation
- May cause an allergic skin reaction.

 Germ cell mutagenicity Based on available data, the classification criteria are not met.

 Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
 - Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:		
80-62-6 meth	80-62-6 methyl methacrylate		
EC50/21d	49 mg/L (daphnia) (OECD 211)		
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)		
NOEC / 21d	37 mg/l (daphnia) (OECD 211)		
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)		
NOEC / 72h	110 mg/l (algae) (OECD 201)		
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)		
EbC50 / 72h	>110 mg/l (algae) (OECD 201)		
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)		
LC50/ 35d	33.7 mg/L (fish) (OECD 210)		

(Contd. on page 10)



Printing date 20.05.2022

Version number 4 (replaces version 3)

Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

060 77 0 0 4	(Contd. of
	ydroxyethyl methacrylate
EC50/21d	90.1 mg/L (daphnia) (OECD 211)
EC50/48h	380 mg/l (daphnia) (OECD 202)
LC50/96h	>100 mg/l (fish) (OECD 203)
	24.1 mg/l (daphnia) (OECD 211)
	836 mg/l (algae) (OECD 201)
	400 mg/l (algae) (OECD 201)
	171 mg/l (daphnia) (OECD 202)
	345 mg/l (algae) (OECD 201)
79-39-0 meth	-
EC50/21d	>100 mg/L (daphnia) (OECD 211)
EC50/48h	>1,000 mg/l (daphnia) (OECD 202)
LC50/96h	>100 mg/l (fish) (OECD 203)
	>100 mg/l (daphnia) (OECD 211)
	>1,000 mg/l (algae) (OECD 201)
	1,000 mg/l (algae) (OECD 201)
	>1,000 mg/l (daphnia) (OECD 202)
	2'-[(4-methylphenyl)imino]bisethanol
EC50/48h	48 mg/l (daphnia) (OECD 202)
LC50/96h	>100 mg/l (fish) (OECD 203)
	>100 mg/l (algae) (OECD 201)
NOEC / 72h	
150-76-5 me	.•
EC50/72h	19 mg/l (algae) (OECD 201)
EC50/21d	1.42 mg/L (daphnia) (OECD 211)
EC50/48h	3 mg/l (daphnia) (OECD 202)
LC50/96h	28.5 mg/l (fish) (OECD 203)
NOEC / 21d	0.68 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	54.7 mg/l (algae) (OECD 201)
NOEC / 48h	1.32 mg/l (daphnia) (OECD 202)
12.2 Persiste	ence and degradability
	nyl methacrylate
Biodegradation	on 94 % /14d (not defined) (OECD 301C)
	ydroxyethyl methacrylate
	on 92-100 % /14d (not defined) (OECD 301C)
79-39-0 metl	
	on 97 % /28d (not defined) (OECD 301 E)
	2'-[(4-methylphenyl)imino]bisethanol
•	on 1.5 % /29d (not defined) (OECD 301D)
150-76-5 me	·
Biodegradation	on 99 % /28d (not defined) (OECD 301C)

- 12.3 Bioaccumulative potential No further relevant information available.
 12.4 Mobility in soil No further relevant information available.
 12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.

(Contd. on page 11)



Printing date 20.05.2022

Version number 4 (replaces version 3)

Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

(Contd. of page 10)

- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system

system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport informat	
14.1 UN number or ID number · ADR, IMDG, IATA	UN1247
14.2 UN proper shipping name · ADR	1247 METHYL METHACRYLATE MONOM STABILIZED solution
· IMDG, IATA	METHYL METHACRYLATE MONOM STABILIZED solution
14.3 Transport hazard class(es)	
ADR	
· Class	3 (F1) Flammable liquids.
· Label	3`´
· IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
14.4 Packing group · ADR, IMDG, IATA	II .
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number:	Warning: Flammable liquids. 33



Printing date 20.05.2022

Version number 4 (replaces version 3)

Revision: 20.05.2022

Trade name: Technovit 6091 Liquid

	(Contd. of page 1
· EMS Number: · Stowage Category · Stowage Code	F-E,S-D B SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according IMO instruments	y to Not applicable.
· Transport/Additional information:	-
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	1L Code: E2 Maximum net quantity per inner packagin 30 ml Maximum net quantity per outer packagin 500 ml 2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLAT MONOMER, STABILIZED SOLUTION, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · Seveso category P5c FLAMMABLE LIQUIDS
 - Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
 - · Information about limitation of use:
 - Employment restrictions concerning young persons must be observed.
- Employment restrictions concerning pregnant and lactating women must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 13)



Revision: 20.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022

Version number 4 (replaces version 3)

Trade name: Technovit 6091 Liquid

(Contd. of page 12)

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H371 May cause damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

GHS: Globally Harmonised System of Classification and Labelling of Chemical ElNECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 2: Specific target organ toxicity (single exposure) – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures (EC) 1907/2006: UK REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

* Data compared to the previous version altered.

GB