conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Powder component

Revision date: 13.12.2022 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Demotec Easy Bloc - Powder component

Product group: Powder component

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Plastic (powder component) for treating hooves in cattle.

1.3. Details of the supplier of the safety data sheet

Company name:

Street:

Place:

Demotec Demel e.K.

Brentanostraße 22

D-61130 Nidderau

+49 (0)6187-905670

Telephone: +49 (0)6187-905670 Telefax: +49 (0)6187-9056711

e-mail: demotec@demotec.de

Contact person: Alexander Demel Telephone: +49 (0)6187-905670

e-mail: demotec@demotec.de
Internet: www.demotec.de

1.4. Emergency telephone Berlin +49 (0)30 - 30686700

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No. 1272/2008 [CLP/GHS]

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to as hazardous waste - in accordance with local and national

legislation - suitable, approved incinerator for combustible organic waste.

Special labelling of certain mixtures

EUH208 Contains dibenzoyl peroxide; benzoyl peroxide. May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture based on polymethyl methacrylates and catalyst.

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Powder component

Revision date: 13.12.2022 Page 2 of 7

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-----------|---|--|------------------|--------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No | Classification (Regulation (EC) No. 1272/2008 [CLP/GHS]) | | |
| 9011-14-7 | Acrylic polymer | | | 95 - < 100 % |
| | | | | |
| 94-36-0 | dibenzoyl peroxide; benzoyl peroxide | | | < 1 % |
| | 202-327-6 | | 01-2119511472-50 | |
| | Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H241 H319 H317 H400 H410 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Powder component

Revision date: 13.12.2022 Page 3 of 7

General advice

Avoid dust formation. Do not breathe dust.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Plastic (powder component) for treating hooves in cattle.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|--------------------|-----|-------|-----------|-----------|--------|
| 94-36-0 | Dibenzoyl peroxide | ı | 5 | | TWA (8 h) | WEL |

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Material: Protective gloves against mechanical risks according to EN 388. Additional information: Protective gloves should be changed regularly, especially after intensive contact with the product. Gloves must be removed and replaced if they show signs of wear and tear or chemical breakthroughs. A suitable type of glove must be selected for each workplace. Please note the information provided by the glove supplier with regard to permeability and breakthrough time. Also take into account the specific, local conditions under which the product is used, such as the risk of cuts, abrasion and contact time.

Skin protection

Wear suitable protective clothing.

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Powder component

Revision date: 13.12.2022 Page 4 of 7

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

A suitable dust mask or respirator with filter type P1 or FFP1 (EN143 or EN149) may be suitable. In the unlikely event that particularly large amounts of dust are formed, a self-contained breathing apparatus may be appropriate.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Powder
Colour: colourless
Odour: characteristic

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Softening point: ca. 110 °C
Flash point: > 250 °C

Flammability

Solid/liquid: not determined
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Self-ignition temperature

Solid:
Gas:

Decomposition temperature:
pH-Value:

Not determined
not determined
not determined
The study does not need to be conducted

because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Bulk density (at 20 °C):

Relative vapour density:

not determined

700 - 750 kg/m³

not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties Not oxidising.

Other safety characteristics

Solid content: 100,00 % Evaporation rate: not determined

Further Information

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Powder component

Revision date: 13.12.2022 Page 5 of 7

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Exothermal decomposition with formation of: Methyl methacrylate

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains dibenzoyl peroxide; benzoyl peroxide. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, ANNEX XIII.

The product has not been tested.

Print date: 12.01.2023

Safety Data Sheet

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Powder component

Revision date: 13.12.2022 Page 6 of 7

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Powder component

Revision date: 13.12.2022 Page 7 of 7

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| | <u> </u> |
|-------------------------|--------------------------|
| Classification | Classification procedure |
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

| H241 | Heating may cause a fire or explosion. |
|------|--|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting |
| | |

H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains dibenzoyl peroxide; benzoyl peroxide. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Telefax: +49 (0)6187-9056711

Safety Data Sheet

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Demotec Easy Bloc - Liquid component

Product group: Liquid component UFI: 2MMK-MF44-T606-KX2E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Plastic (liquid component) for hoof treatment in cattle.

1.3. Details of the supplier of the safety data sheet

Company name: Demotec Demel e.K.
Street: Brentanostraße 22
Place: D-61130 Nidderau
Telephone: +49 (0)6187-905670

e-mail: demotec@demotec.de

Contact person: Alexander Demel Telephone: +49 (0)6187-905670

e-mail: demotec@demotec.de
Internet: www.demotec.de

1.4. Emergency telephone Berlin +49 (0)30 - 30686700

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Methyl methacrylate

1,4-Butandiol dimethacrylate

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements

P261 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

10

Safety Data Sheet

conforms to Regulation (EC) No. 1907/2006

| Demotec Easy Bloc - Liquid component | | | | |
|--------------------------------------|--|--------|--|--|
| Revision date: 13.12.2022 | Page | 2 of 1 | | |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. | | | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection | า | | |
| P302+P352 | IF ON SKIN: Wash with plenty of Water and soap. | | | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. | | | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | | | |
| P370+P378 | In case of fire: Use foam, extinguishing powder, carbon dioxide (CO2) to extinguish. | | | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | | | |
| P501 | Dispose of contents/container to as hazardous waste - in accordance with local and nation | al | | |

legislation - suitable, approved incinerator for combustible organic waste.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture based on methyl methacrylate.

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-----------|---|------------------------------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation | Classification (GB CLP Regulation) | | |
| 80-62-6 | Methyl methacrylate | | | 80 - < 85 % |
| | 201-297-1 | | 01-2119452498-28 | |
| | Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335 | | | |
| 2082-81-7 | 1,4-Butandiol dimethacrylate | | | 10 - < 15 % |
| | 218-218-1 | | 01-2119967415-30 | |
| | Skin Sens. 1; H317 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|--|------------------------------|-------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 80-62-6 | 201-297-1 | Methyl methacrylate | 80 - < 85 % |
| | inhalation: LC50 = 29,8 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg | | |
| 2082-81-7 | 218-218-1 | 1,4-Butandiol dimethacrylate | 10 - < 15 % |
| | dermal: LD50 = > 3000 mg/kg; oral: LD50 = > 10000 mg/kg | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 3 of 10

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Causes skin irritation. May cause respiratory irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. Can polymerise exothermically if heated, exposed to air, sunlight or by addition or free radical initiators. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Wear protective gloves and eye/face protection. Avoid breathing dust. See section: 8.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink, smoke, sniff. Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 4 of 10

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Caution! Transport usually takes place at temperatures above the flash point.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Protect from direct sunlight.

Hints on joint storage

Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep away from heat.

7.3. Specific end use(s)

Plastic (liquid component) for hoof treatment in cattle.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|---------------------|-----|-------|-----------|---------------|--------|
| 80-62-6 | Methyl methacrylate | 50 | 208 | | TWA (8 h) | WEL |
| | | 100 | 416 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | | |
|------------------------|---------------------|----------------|--------|-----------------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 80-62-6 | Methyl methacrylate | | | | |
| Worker DNEL, long-term | | inhalation | | 208 mg/m³ | |
| Worker DNEL, long-term | | dermal | | 17 mg/kg bw/day | |

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable protective gloves. To protect against splashes: butyl; EN 374. To protect against immersion: butyl; 0.7 mm or thicker, EN 374. The suitability of gloves should be agreed with the manufacturer. Change gloves in the event of contamination or if the breakthrough time is exceeded. Resistance of the glove material: see information from the glove manufacturer.

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 5 of 10

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Wear suitable respiratory protection if technical measures are inadequate or not available and exposure is to be expected that exceeds the DNEL (derived exposure level below which the substance does not cause any harm to human health). A suitable breathing mask with filter type A (EN141 or EN405) is recommended. A self-contained breathing apparatus may be necessary if particularly high vapor concentrations are formed.

10 °C

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and boiling range:

-48 °C

100,5 °C

Flash point:

Flammability

Solid/liquid: not applicable
Gas: not applicable
Lower explosion limits: 2,1 vol. %
Upper explosion limits: 12,5 vol. %
Auto-ignition temperature: 421 °C

Self-ignition temperature

Solid: not applicable Gas: not applicable not applicable not applicable Pecomposition temperature: not determined pH-Value: not determined Viscosity / dynamic: 0,53 mPa·s

(at 20 °C)

Water solubility: 12,5 g/L

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: 1,38
Vapour pressure: 36 hPa

(at 20 °C)

Density (at 15,5 °C): 0,949 g/cm³
Relative vapour density: 3,5
(at 20 °C)

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties Not oxidising.

Other safety characteristics

Solid content: not determined

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 6 of 10

Evaporation rate: not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable, Vapours can form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Can polymerise exothermically if heated, exposed to air, sunlight or by addition or free radical initiators.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Can polymerise exothermically if heated, exposed to air, sunlight or by addition or free radical initiators. Protect from direct sunlight.

10.5. Incompatible materials

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

| | 5000 | 0000.00 |
|---------------------------------|--------------|---------|
| LD50, oral | 7870 mg/kg | Rat |
| LD50, dermal | > 5000 mg/kg | Rabbit |
| LC50, inhalation (vapour) (4 h) | 78 mg/l | Rat |

Dose

| CAS No | Chemical name | | | | | |
|-----------|-------------------------|---------------|-----------|---------|----------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 80-62-6 | Methyl methacrylate | | | | | |
| | oral | LD50 mg/kg | >5000 | Rat | OECD 401 | |
| | dermal | LD50 mg/kg | >5000 | Rabbit | | |
| | inhalation vapour | LC50 | 29,8 mg/l | Rat | | |
| 2082-81-7 | 1,4-Butandiol dimethacr | ylate | | | | |
| | oral | LD50 mg/kg | > 10000 | Rat | | |
| | dermal | LD50 mg/kg | > 3000 | Rabbit | | |

Species

Source

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Methyl methacrylate; 1,4-Butandiol dimethacrylate)

Print date: 13.12.2022

Safety Data Sheet

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 7 of 10

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Methyl methacrylate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Acute (short-term) fish toxicity

| | (enert term) nent termenty | | | | | | | | |
|-----------|------------------------------|---------------------|-----------|-----------|--|----------|--------|--|--|
| CAS No | Chemical name | | | | | | | | |
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 80-62-6 | Methyl methacrylate | Methyl methacrylate | | | | | | | |
| | Acute fish toxicity | LC50 | > 79 mg/l | | Oncorhynchus mykiss (Rainbow trout) | OECD 203 | | | |
| | Acute algae toxicity | ErC50 mg/l | > 110 | | Selenastrum capricornutum | OECD 201 | | | |
| | Acute crustacea toxicity | EC50 | 69 mg/l | | Daphnia magna (Big water flea) | OECD 202 | | | |
| | Crustacea toxicity | NOEC | 37 mg/l | | Daphnia magna (Big water flea) | OECD 202 | | | |
| 2082-81-7 | 1,4-Butandiol dimethacrylate | | | | | | | | |
| | Acute fish toxicity | LC50 | 32,5 mg/l | | Oncorhynchus mykiss (Rainbow trout) | | | | |
| | Acute crustacea toxicity | EC50 | 7,51 mg/l | | Daphnia magna (Big water flea) | OECD 211 | | | |
| | Crustacea toxicity | NOEC | 7,51 mg/l | | Selenastrum capricornutum | | | | |

12.2. Persistence and degradability

Biodegradable.

12.3. Bioaccumulative potential

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment is unlikely.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|------------------------------|---------|
| 80-62-6 | Methyl methacrylate | 1,38 |
| 2082-81-7 | 1,4-Butandiol dimethacrylate | 3,1 |

12.4. Mobility in soil

Mobility in soil: No adsoption in soil or sediment.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, ANNEX XIII. This substance does not meet the PBT/vPvB criteria of REACH. Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 8 of 10

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 Limited quantity: 1 L Excepted quantity: F2 Transport category: 2 Hazard No: 339 Tunnel restriction code: D/E

Other applicable information (land transport)

SAPT: > 60 °C

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Classification code:F1Limited quantity:1 LExcepted quantity:E2

Other applicable information (inland waterways transport)

SAPT: > 60 °C

Marine transport (IMDG)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

 14.3. Transport hazard class(es):
 3

 14.4. Packing group:
 II

 Hazard label:
 3

 Special Provisions:

 Limited quantity:
 1 L

 Excepted quantity:
 E2

 EmS:
 F-E, S-D

Other applicable information (marine transport)

SAPT: > 60 °C

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 9 of 10

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Limited quantity Passenger:1 LPassenger LQ:Y341Excepted quantity:E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

SAPT: > 60 °C

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquids.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 80 % (759,2 g/l) 2004/42/EC (VOC): 80 % (759,2 g/l)

Information according to 2012/18/EU

(SEVESO III):

P5c FLAMMABLE LIQUIDS

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing

mothers.

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

conforms to Regulation (EC) No. 1907/2006

Demotec Easy Bloc - Liquid component

Revision date: 13.12.2022 Page 10 of 10

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| STOT SE 3; H335 | Calculation method |

| H225 | Highly flammable liquid and vapour. |
|------|--------------------------------------|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H335 | May cause respiratory irritation. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)